

DTIC FILE COPY

AD-A224 157

DOCUMENTATION PAGE

Form Approved
OMB No 0704-0188
Exp Date Jan 30, 1986

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED		1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY ELECTED		3. DISTRIBUTION / AVAILABILITY OF REPORT APPROVED FOR PUBLIC RELEASE. DISTRIBUTION UNLIMITED	
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE JUL 19 1990		5. MONITORING ORGANIZATION REPORT NUMBER(S)	
4. PERFORMING ORGANIZATION REPORT NUMBER(S) D & D		7a. NAME OF MONITORING ORGANIZATION WALTER REED ARMY INSTITUTE OF RESEARCH	
6a. NAME OF PERFORMING ORGANIZATION DEPT OF ENTOMOLOGY, DCD&I WALTER REED ARMY INST. RESEARCH		7b. ADDRESS (City, State, and ZIP Code) WASHINGTON, DC 20307-5100	
6b. OFFICE SYMBOL (If applicable)		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER	
8a. NAME OF FUNDING / SPONSORING ORGANIZATION		10. SOURCE OF FUNDING NUMBERS	
8b. OFFICE SYMBOL (If applicable)		PROGRAM ELEMENT NO. PROJECT NO. TASK NO. WORK UNIT ACCESSION NO.	
8c. ADDRESS (City, State, and ZIP Code) FT. DETRICK, FREDERICK, MD 21701		11. TITLE (Include Security Classification) REVIEW OF NEW NEARCTIC MOSQUITO DISTRIBUTIONAL RECORDS NORTH OF MEXICO, WITH NOTES ON ADDITIONS AND TAXONOMIC CHANGES OF THE FAUNA, 1982-89.	
12. PERSONAL AUTHOR(S) RICHARD R. DARSIE, JR., AND RONALD A. WARD			
13a. TYPE OF REPORT MANUSCRIPT		13b. TIME COVERED FROM _____ TO _____	
14. DATE OF REPORT (Year, Month, Day)		15. PAGE COUNT	
16. SUPPLEMENTARY NOTATION			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB-GROUP	
		NEARCTIC MOSQUITO DISTRIBUTIONAL, ANOPHELES, TAXONOMIC CHANGES OF THE FAUNA. JES	
19. ABSTRACT (Continue on reverse if necessary and identify by block number) During the past 7 years, 24 species of Nearctic mosquitoes have had extensions to their known distribution in the form of 32 new state and province records in the United States and Canada. They are included in this report along with relevant references. Additionally, 3 new United States country records have been established, 3 species have had name changes, a new species of Anopheles and sibling species of another anopheline have been described. Details of these occurrences are covered.			
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION	
22a. NAME OF RESPONSIBLE INDIVIDUAL		22b. TELEPHONE (Include Area Code)	22c. OFFICE SYMBOL

REVIEW OF NEW NEARCTIC MOSQUITO DISTRIBUTIONAL RECORDS NORTH OF MEXICO, WITH NOTES ON ADDITIONS AND TAXONOMIC CHANGES OF THE FAUNA, 1982-89¹

RICHARD F. DARSIE, JR.² AND RONALD A. WARD³

ABSTRACT. During the past 7 years, 24 species of Nearctic mosquitoes have had extensions to their known distribution in the form of 32 new state and province records in the United States and Canada. They are included in this report along with relevant references. Additionally, 3 new United States country records have been established, 3 species have had name changes, a new species of *Anopheles* and sibling species of another anopheline have been described. Details of these occurrences are covered.

INTRODUCTION

The publication of Darsie and Ward (1981) included distributional records for the 166 species of mosquitoes known at that time to occur in the Nearctic Region, north of Mexico. It also reflected the taxonomic changes in the specific and supraspecific categories which had been delineated since the publication of Carpenter and LaCasse (1955). Ward and Darsie (1982) also accounted for other distributional changes up to and including 1982.

Since many new state and province records in the United States and Canada have been published over the last 7 years, it seemed appropriate to summarize them as well as enumerate new country records and pertinent taxonomic changes for the convenience of those interested in the field.

State- and province-wide mosquito records have been published by Belton (1983), Breeland and Loyless (1982), Darsie and Anderson (1985), Harrison et al. (1981), Means (1987) and Quickenden and Jamison (1979).

Other distributional records, identification information and limited bibliographies on a mosquito genus or geographical area are as follows: Andreadis (1988), Bennett (1983), Berry (1985), Berry and Craig (1984), Berry et al. (1986), Bosworth et al. (1983), Breeland (1982), Clark et al. (1986), Copps et al. (1984), Davis et al. (1984), Easton (1987), Easton et al. (1986), Haeger and O'Meara (1983), Hribar and Gerhardt (1985), Helson et al. (1980), Jakob et al. (1985), Jewell and Grodhaus (1984), Kaster (1981), LePrince (1982), Manning et al. (1982), Nasci et al. (1983), Nawrocki and Craig (1989), Pappas and Pappas (1983), Pratt (1952), Reiter (1986),

Reiter and Darsie (1984), Schoelfield and McIntosh (1984), Schoelfield et al. (1981), Steffan et al. (1980), Taylor (1983), Welch and Long (1984) and White and White (1980).

NEW STATE AND PROVINCE RECORDS

There have been extensions of the known distribution of 25 species in 16 of the political subdivisions of United States, Canada and Bermuda. They are listed in Table 1 along with the species and the reference first reporting the finding.

Two geographical areas which have heretofore been excluded by us in considering the indigenous mosquito fauna, but which are clearly colonized by Nearctic species, are here being added. They are Greenland and Bermuda, insular territories in the Atlantic Ocean.

NEW COUNTRY RECORDS

Aedes (*Stegomyia*) *albopictus* (Skuse): This species was apparently introduced into Harris County, TX, prior to 1985 in used tires shipped from Asia. It was first reported by Sprenger and Wuithiranyagool (1986) and Barnett and Davis (1986). It has since spread to many other states. Its known distribution now includes Alabama, Delaware, Georgia, Indiana, Kentucky, Mississippi, Missouri, North Carolina and Tennessee (Craven et al. 1988, Moore et al. 1988). Other states reporting its presence are Florida (Peacock et al. 1988) Illinois (Rightor et al. 1987), Louisiana (Darsie 1986), Maryland (Sweeney et al. 1988) and Ohio (Berry et al. 1988). It is also known from South Carolina (R. F. Darsie and S. Ferguson, unpublished data).

The discovery by Foster (1989) that *Ae. albopictus* has colonized tree holes is most significant because that is the natural habitat in its indigenous Oriental region. Also, Nawrocki and Hawley (1987) discussed its eventual distribution in North America.

Aedes (*Howardina*) *bahamensis* Berlin: This species was recognized as new (1969) by Berlin. The immature stages occur in the containers in

¹ The views of the authors do not purport to reflect the position of the Department of the Army or the Department of Defense.

² International Center for Public Health Research, School of Public Health, University of South Carolina, McClellanville, SC 29458.

³ Department of Entomology, Walter Reed Army Institute of Research, Washington, DC 20307-5100.

90 07 16 355

Table 1. List of new state (USA), province (Canada) and Bermuda records which have occurred between 1980 and 1989.

Species	Location	Reference
<i>Ae. aegypti</i>	Rhode Island	Cookman and LeBrun (1986)
<i>Ae. albopictus</i>	Eastern USA, Texas	Sprenger and Wuthiranyagool (1986), Moore et al. (1988)
<i>Ae. bahamensis</i>	Florida	Pafume et al. (1988)
<i>Ae. communis</i>	Connecticut	Andreadis (1986)
<i>Ae. diaetaeus</i>	New Brunswick	Maltais and Daigle (1984)
<i>Ae. dupreei</i>	Michigan	Cassani and Newson (1980)
<i>Ae. hendersoni</i>	Rhode Island	LeBrun et al. (1983)
	Manitoba	Brust (1979)
<i>Ae. infirmatus</i>	New Jersey	McNelly (1989)
<i>Ae. leucumelas</i> (= <i>implicatus</i>)	New Jersey	Maltais and Daigle (1984)
<i>Ae. melanimon</i>	North Dakota	Darsie and Anderson (1985)
<i>Ae. mitchellae</i>	Indiana	Copeland (1984)
<i>Ae. punctor</i>	Connecticut	Andreadis (1986)
<i>Ae. purpureipes</i>	California	Meyer et al. (1987)
<i>Ae. sollicitans</i>	Michigan	Cassani and Newson (1980)
<i>Ae. s. spencerii</i>	New Jersey	Ehrenberg (1983)
<i>Ae. sticticus</i>	Rhode Island	LeBrun et al. (1983)
<i>Ae. thelcter</i>	Arizona California	Maloney and Reid (1989) Meyer et al. (1988)
<i>Ae. thibaulti</i>	New Jersey	McNelly (1984)
	Rhode Island	Cookman et al. (1985)
<i>Ae. triseriatus</i>	Manitoba	Gallaway and Brust (1982)
<i>An. barberi</i>	Massachusetts	Walker (1983)
<i>An. crucians</i>	Michigan	Cassani and Newson (1980)
<i>An. hermsi</i>	California	Barr and Guptavanij (1989)
<i>An. perplexens</i>	Michigan	Wilmot et al. (1987)
	Louisiana	Chapman and Johnson (1986)
<i>Cx. tarsalis</i>	Rhode Island	Jakob et al. (1986)
	Quebec	Gebara and de Oliveira (1986)
<i>Cs. impatiens</i>	Rhode Island	LeBrun et al. (1983)
<i>Cs. inornata</i>	Rhode Island	LeBrun et al. (1983)
	Bermuda	Darsie and Ward (present work)
<i>Cs. minnesotae</i>	Newfoundland	Mokry (1984)
	North Dakota	Darsie and Anderson (1985)
<i>Ps. ferox</i>	Rhode Island	LeBrun et al. (1983)
<i>Ps. howardii</i>	New Jersey	McNelly and Crans (1983)
	Iowa	Berry et al. (1986)

the Bahama Islands. Pafume et al. (1988) reported that it has been present in Florida since 1986 from eggs deposited in ovitraps; now it has been collected in tires with water from 37 locations in Dade and Broward counties (O'Meara et al. 1989). It is notable because it is the first species belonging to the subgenus *Howardina* to be reported from the United States.

Anopheles (*Anopheles*) *hermsi* Barr and Guptavanij 1989: This new anopheline was described from the coastal region of southern California by Barr and Guptavanij (1989). It is closely related to *An. freeborni* Aitken. Only larvae and pupae of *An. hermsi* can be separated from the latter. The authors point out that this species was apparently responsible for the transmission

of malaria in San Diego County, CA, in 1986. Some details of its biology and distribution had been previously given by Barr et al. (1988).

MOSQUITO FAUNA OF GREENLAND AND BERMUDA

Greenland: The first report of mosquitoes on this arctic island was made by Henricksen and Lundbeck (1917). They recorded the presence of *Ae. nigripes* (Zetterstedt) as *Culex nigripes* Zett. Some 50 years later Nielsen and Nielsen (1966) added *Ae. impiger* (Walker) as *Ae. nearcticus* Dyar and stated that it is locally more abundant than *Ae. nigripes*. A third species, *Ae. triseriatus* (Say) was collected by Messersmith (1971).

Bermuda: The following species have been collected in the islands of Bermuda: *Ae. aegypti* (Linn.) (Mayers 1983), *Ae. sollicitans* (Walker), *Ae. taeniorhynchus* (Wiedemann), *Cx. salinarius* Coq., *Cx. quinquefasciatus* Say (Williams 1956) and *Culiseta inornata* (Williston). One female of the last named species was identified by one of us (R.A.W.) and is here being reported from Bermuda for the first time. The specimen was collected from a house on Middle Road, Devonshire Parish, March 8, 1966, and has been deposited in the collection of the Bermuda Department of Agriculture, Hamilton.

TAXONOMIC CHANGES

Aedes (Ochlerotatus) leucomelas (Meigen): This species was formerly known as *Ae. (Ochlerotatus) implicatus* Vockeroth, until it was synonymized by Mezenov (1980) under *leucomelas*.

Anopheles (Anopheles) quadrimaculatus Say: This species is the traditional malaria vector in the eastern United States. Recently it was found to consist of at least 4 sibling species. They have been characterized both genetically and cytogenetically by Kaiser and Seawright (1987), Kaiser et al. (1988a, 1988b, 1988c), Lanzaro et al. (1988), Narang and Seawright (1988) and Narang et al. (1989a, 1989b). They are now designated as species A, B, C and D.

Culex (Melanoconion) cedecei Stone and Hair: This species was described by Stone and Hair (1968). It was subsequently synonymized with *Cx. opisthopus* Komp by Belkin (1969a, 1969b). Then Sirivanakarn and Belkin (1980) determined that *Cx. opisthopus* was conspecific with *Cx. taeniopus* Dyar and Knab so that its synonym, *Cx. cedecei*, was automatically transferred to synonymy under *Cx. taeniopus*. Recently, Weaver et al. (1986), as the result of isoenzyme and cross-mating experiments, have concluded that *Cx. cedecei* is indeed a distinct, incipient species.

Culex (Culex) stigmatosoma Dyar: This species had been called *Cx. peus* Speiser before Strickman (1988a) discovered that the holotype of *Cx. peus* is conspecific with *Cx. thriambus* Dyar. With the realization that *Cx. peus* was not a valid name for this species, the next available name was *Cx. stigmatosoma*, by which it was known in older literature (e.g., Dyar 1928).

Culex (Culex) peus Speiser: This is now the valid name for the species which was formerly known as *Cx. thriambus* Dyar, because Strickman (loc. cit.) found that the holotype of *Cx. peus* is identical to that of *Cx. thriambus*. He has described the holotype in detail. In order to assist in the use of the keys in Darsie and Ward (1981), Strickman (1988b) has provided a necessary couplet and name changes, as well as an

illustration of the salient adult female character, to distinguish *Cx. peus* from *Cx. stigmatosoma*.

The name *Cx. thriambus* has been used in the literature related to mosquitoes of the western United States for 67 years (1921-88). Eldridge and Harbach (1989) believe that there is good reason to preserve the name *thriambus*. They are proposing to suppress the name *peus* under the plenary powers of the International Commission of Zoological Nomenclature.

Culex (Culex) pipiens Linnaeus: Important studies on *Cx. pipiens* by Harbach et al. (1984, 1985) have resulted in neotype designations for *Cx. pipiens* and *Cx. molestus* Forskål. A thorough investigation of the latter, a physiological and behavioral variant, concluded that the name *molestus* has no taxonomic validity. It has been applied to populations which exhibit autogeny, stenogamy and anthropophily. Brodgon (1984) has determined that characters of the siphon can be used to distinguish larvae of the 2 taxa, *Cx. pipiens* and *Cx. quinquefasciatus* Say.

ACKNOWLEDGMENTS

The authors wish to thank J. A. Seawright for assistance in discussing the *Anopheles quadrimaculatus* complex, Christine Dahl for providing references on Greenland Culicidae and D. C. Williams and J. D. Mandeville for reviewing the manuscript.

REFERENCES CITED

- Andreadis, T. G. 1986. New state records for *Aedes communis* and *Aedes punctator* in Connecticut. J. Am. Mosq. Control Assoc. 2:378-379.
- Andreadis, T. G. 1988. A survey of mosquitoes breeding in used tire stockpiles in Connecticut. J. Am. Mosq. Control Assoc. 4:256-260.
- Barr, A. R., S. E. Cope and R. J. Stoddard. 1988. Distribution and biology of an undescribed member of the *An. maculipennis* complex in California. Mosq. Control Res., 1987 Ann. Rept., Univ. Calif., pp. 43-44.
- Barr, A. R. and P. Guptavanij. 1989. *Anopheles hermsi* n. sp., an unrecognized American species of the *Anopheles maculipennis* group (Diptera: Culicidae). Mosq. Syst. 20:352-356.
- Bartnett, R. E. and B. L. Davis. 1986. *Aedes albopictus* introduction—Texas. DHHS, Morb. Mort. Weekly Rep. 35:141-142.
- Belkin, J. N. 1969a. The problem of the identity of *Culex (Melanoconion)* related to *opisthopus*. Mosq. Syst. Newsl. 1:26-28.
- Belkin, J. N. 1969b. *Culex (Melanoconion) annulipes* invalid. Mosq. Syst. Newsl. 1:68.
- Belton, P. 1983. The mosquitoes of British Columbia. Br. Columbia Prov. Mus. Handb. 41, 189 pp.
- Bennett, S. G. 1983. A new record of the treehole mosquito *Aedes sierrensis* (Diptera: Culicidae) from Santa Catalina Island. Bull. Soc. Vector Biol. 8:129-140.
- Berlin, O. G. W. 1969. Mosquito studies (Diptera,

- Culicidae) XII. A revision of the Neotropical subgenus *Howardina* of *Aedes*. Contrib. Am. Entomol. Inst. (Ann Arbor) 4(2):1-190.
- Berry, W. J. 1985. Collection of *Aedes atropalpus* from rock holes on the Keweenaw Peninsula, Michigan. J. Am. Mosq. Control Assoc. 1:373-374.
- Berry, W. J. and G. B. Craig, Jr. 1984. Bionomics of *Aedes atropalpus* breeding in scrap tires in northern Indiana. Mosq. News 44:476-484.
- Berry, R. L., E. D. Peterson and R. A. Restifo. 1988. Records of imported tire-breeding mosquitoes in Ohio. J. Am. Mosq. Control Assoc. 4: 187-189.
- Berry, W. J., W. A. Rowley and M. Reynolds. 1986. Collection of *Psorophora howardii* in Scott County, Iowa. J. Am. Mosq. Control Assoc. 2:563.
- Bosworth, A. B., S. M. Meola and J. K. Olson. 1983. The chorionic morphology of eggs of the *Psorophora confinnis* complex in the United States. I. Taxonomic considerations. Mosq. Syst. 15:285-309.
- Breeland, S. G. 1982. Bibliography and notes on Florida mosquitoes with limited distribution in the United States. Mosq. Syst. 14:53-72.
- Breeland, S. G. and T. M. Loyless. 1982. Illustrated keys to the mosquitoes of Florida. Adult females and fourth stage larvae. Jour. Fla. Anti-mosq. Assoc. 53:63-84.
- Brodgon, W. G. 1984. The siphonal index. I. A method for evaluating *Culex pipiens* subspecies and intermediates. Mosq. Syst. 16: 144-152.
- Brust, R. A. 1979. Occurrence of *Aedes hendersoni* in Manitoba. Mosq. News 39:395.
- Carpenter, S. J. and W. J. LaCasse. 1955. Mosquitoes of North America (north of Mexico). Univ. Calif. Press, Berkeley, 360 pp.
- Cassani, J. R. and H. D. Newson. 1980. An annotated list of mosquitoes reported from Michigan. Mosq. News 40:356-367.
- Chapman, H. C. and E. B. Johnson. 1986. The mosquitoes of Louisiana. La. Mosq. Control Assoc. Tech. Bull. 1 (Revised), 17 pp.
- Clark, G. G., C. L. Crabbs, C. L. Bailey, C. H. Calisher and G. B. Craig, Jr. 1986. Identification of *Aedes campestris* from New Mexico: with notes on the isolation of Western encephalitis and other arboviruses. J. Am. Mosq. Control Assoc. 2:529-534.
- Clark, G. C. and G. B. Craig, Jr. 1985. Oviposition behavior of *Aedes triseriatus* and *Aedes hendersoni* on the Delmarva Peninsula. J. Am. Mosq. Control Assoc. 1:526-528.
- Cookman, J. E., N. E. Scarduzio and R. A. LeBrun. 1985. *Aedes thibaulti*: a new adult record from Rhode Island. J. Am. Mosq. Control Assoc. 1:251.
- Cookman, J. E. and R. A. LeBrun. 1986. *Aedes aegypti* larvae in Portsmouth, Rhode Island. J. Am. Mosq. Control Assoc. 2:96-97.
- Cookman, J. E., N. E. Scarduzio and R. A. LeBrun. 1985. *Aedes equine* encephalitis and other arboviruses. J. Am. Mosq. Control Assoc. 2: 529-534.
- Copeland, R. S. 1984. Occurrence of *Aedes mitchellae* in Indiana. Mosq. News 44:81-82.
- Copps, P. T., G. A. Surgeoner and B. V. Helson. 1984. Habitat distribution of adult mosquitoes in southern Ontario. Proc. Entomol. Soc. Ontario 115:55-59.
- Craven, R. B., P. A. Eliason, D. B. Francy, P. Reiter, E. G. Campos, W. L. Jakob, G. C. Smith, C. J. Bozzi, C. G. Moore, G. O. Maupin and T. P. Monath. 1988. Importation of *Aedes albopictus* and other exotic mosquito species into the United States in used tires from Asia. J. Am. Mosq. Control Assoc. 4:138-142.
- Darsie, R. F., Jr. 1986. The identification of *Aedes albopictus* in the Nearctic Region. J. Am. Mosq. Control Assoc. 2:336-340.
- Darsie, R. F., Jr. and A. W. Anderson. 1985. A revised list of the mosquitoes of North Dakota including new additions to the fauna. J. Am. Mosq. Control Assoc. 1:76-79.
- Darsie, R. F., Jr. and R. A. Ward. 1981. Identification and geographical distribution of the mosquitoes of North America, north of Mexico. Mosq. Syst. Suppl. 1, 313 pp.
- Davis, J. R., M. A. Delaney and T. R. Adkins. 1984. Preimpoundment distribution of mosquitoes within the Richard B. Russell Dam and lake area of South Carolina and Georgia. J. Ga. Entomol. Soc. 19:143-151.
- Dyar, H. G. 1928. The mosquitoes of the Americas. Carnegie Inst. Wash. Pub. 387, 616 pp.
- Easton, E. R. 1987. Mosquito surveillance employing New Jersey light traps on Indian reservations in Iowa, Nebraska and South Dakota in 1984 and 1985. J. Am. Mosq. Control Assoc. 3:70-73.
- Easton, E. R., R. S. Coker and R. Ballinger. 1986. Occurrence and seasonal incidence of mosquitoes on Indian reservations in Iowa, Nebraska and South Dakota during 1983. J. Am. Mosq. Control Assoc. 2:190-195.
- Ehrenberg, H. A. 1983. *Aedes spencerii spencerii* in New Jersey. Proc. N.J. Mosq. Control Assoc. 70:96-97.
- Eldridge, B. F. and R. E. Harbach. 1989. *Culex* Speiser, 1904: proposed suppression under the plenary powers to conserve *Culex thriambus* Dyar, 1921 (Insecta: Diptera: Culicidae). Bull. Zool. Nomencl. (in press).
- Foster, B. E. 1989. *Aedes albopictus* larvae collected from tree holes in southern Indiana. J. Am. Mosq. Control Assoc. 5:95.
- Galloway, W. J. and R. A. Brust. 1982. The occurrence of *Aedes hendersoni* Cockerell and *Aedes triseriatus* (Say) in Manitoba. Mosq. Syst. 14:262-264.
- Gebara, A. and D. de Oliveira. 1986. Premiere mention de *Culex tarsalis* (Diptera: Culicidae) au Quebec. Can. Entomol. 118:609.
- Haeger, J. S. and G. F. O'Meara. 1983. Separation of first-instar larvae of four Florida *Culex* (*Culex*). Mosq. News 43:76-77.
- Harbach, R. E., C. Dahl and G. B. White. 1985. *Culex* (*Culex*) *pipiens* Linnaeus (Diptera, Culicidae) — concepts, type designations and descriptions. Proc. Entomol. Soc. Wash. 87:1-24.
- Harbach, R. E., B. A. Harrison and A. M. Gad. 1984. *Culex* (*Culex*) *molestus* Forskal (Diptera: Culicidae) variation and taxonomic status. Proc. Entomol. Soc. Wash. 86:521-542.
- Harrison, R. J., L. Loiselle and D. J. LePrince. 1981. Revised list of the mosquitoes (Diptera: Culicidae) of Quebec. Ann. Entomol. Soc. Quebec 26:3-8.
- Helson, B. V., G. A. Surgeoner and R. E. Wright. 1980. The seasonal distribution and species composition of mosquitoes (Diptera: Culicidae) collected during a St. Louis encephalitis surveillance program from 1976 to 1978 in southeastern Ontario. Can. Entomol. 112:865-874.

- Henricksen, K. L. and W. Lundbeck. 1917. Culicidae, pp. 595-596. In: *Gronlands landarthropoder (Insecta et Arachnida Groenlandicae)*. Medd. Groenland 22:595-596.
- Hribar, L. J. and R. R. Gerhardt. 1985. A checklist of the mosquitoes (Diptera: Culicidae) occurring in Knox County, Tennessee, USA. *J. Tenn. Acad. Sci.* 61:6-7.
- Jakob, W. L., D. B. Francy and R. A. LeBrun. 1986. *Culex tarsalis* in Rhode Island. *J. Am. Mosq. Control Assoc.* 2:98-99.
- Jakob, W. L., F. A. Maloney and F. J. Harrison. 1985. *Aedes purpureipes* in western Arizona. *J. Am. Mosq. Control Assoc.* 1:388.
- Jewell, D. and G. Grodhaus. 1984. An introduction of *Aedes aegypti* into California and its apparent failure to become established. pp. 103-107. In: Laird, M. (ed.) *Commerce and the spread of pests and disease vectors*. Praeger Publ.
- Kaiser, P. E., S. E. Mitchell, G. C. Lanzaro and J. A. Seawright. 1988a. Hybridization of laboratory strains of sibling species A and B of *Anopheles quadrimaculatus*. *J. Am. Mosq. Control Assoc.* 4:34-38.
- Kaiser, P. E., S. K. Narang, J. A. Seawright and D. L. Kline. 1988b. A new member of the *Anopheles quadrimaculatus* complex, species C. *J. Am. Mosq. Control Assoc.* 4:494-499.
- Kaiser, P. E. and J. A. Seawright. 1987. The ovarian nurse cell polytene chromosomes of *Anopheles quadrimaculatus*, species A. *J. Am. Mosq. Control Assoc.* 3:222-230.
- Kaiser, P. E., J. A. Seawright and B. K. Birky. 1988c. Chromosome polymorphism in a natural population of *Anopheles quadrimaculatus* Say, species A and B. *Genome* 30:138-146.
- Kaster, C. H. 1981. Faunal composition of mosquitoes (Diptera: Culicidae) in Bernheim Forest, Kentucky. *Trans. Ky. Acad. Sci.* 42:95-97.
- Lanzaro, G. C., S. K. Narang, S. E. Mitchell, P. E. Kaiser and J. A. Seawright. 1988. Hybrid male sterility in crosses between field and laboratory strains of *Anopheles quadrimaculatus* Say (Diptera: Culicidae). *J. Med. Entomol.* 25:248-255.
- LeBrun, R. A., D. Boyes, P. Capotosto and J. Marques. 1983. Annotated list of the mosquitoes of Rhode Island. *Mosq. News* 43:435-437.
- LePrince, D. J. 1982. Relative abundance and seasonal distribution of adult mosquitoes in southern Quebec. *Mosq. News* 42:365-369.
- Maloney, F. A. and B. J. Reid. 1989. New record for *Aedes thelcter* in Arizona. *J. Am. Mosq. Control Assoc.* (in press).
- Maltais, P. and J. Y. Daigle. 1984. First mention of *Aedes implicatus* new record and *Aedes diantaeus* new record (Diptera: Culicidae) in New Brunswick, Canada. *Can. Entomol.* 116:781-782.
- Manning, D. L., N. L. Evenhuis and W. A. Steffan. 1982. Annotated bibliography of *Toxorhynchites* (Diptera: Culicidae): Supplement I. *J. Med. Entomol.* 19:429-486.
- Mayers, P. J. 1983. Recent introduction of *Aedes aegypti* in Bermuda. *Mosq. News* 43:361-362.
- McNelly, J. R. 1984. *Aedes thibaulti* in New Jersey. *Mosq. News* 44:247.
- McNelly, J. R. 1989. Occurrence of *Aedes infirmatus* in New Jersey. *J. Am. Mosq. Control Assoc.* 5:277.
- McNelly, J. and W. J. Crans. 1983. *Psorophora howardii*, an addition to the checklist of New Jersey mosquitoes. *Mosq. News* 43: 237-239.
- Means, R. G. 1987. Mosquitoes of New York Part II. Genera of Culicidae other than *Aedes* occurring in New York. New York State Museum Bull. 430b, 180 pp.
- Messersmith, D. H. 1971. Extension of the range of *Aedes triseriatus* (Say) to Greenland. *Mosq. Syst. Newslett.* 3:7.
- Meyer, R. P., V. M. Martinez, B. R. Hill and W. K. Reisen. 1988. *Aedes thelcter* from the lower Colorado River in California. *J. Am. Mosq. Control Assoc.* 4:366-367.
- Meyer, R. P., W. K. Reisen and B. R. Hill. 1987. On the occurrence of *Aedes purpureipes* along the lower Colorado River. *J. Am. Mosq. Control Assoc.* 3:312-313.
- Mezenov, N. P. 1980. A possible identity of *Aedes leucomelas* Meigen, 1804 and *A. implicatus* Vocker-oth, 1954 (Culicidae). (In Russian). *Parasitologia (Leningrad)* 14:206-209.
- Mokry, J. 1984. Notes on the *Culiseta* species (Diptera: Culicidae) of Newfoundland, with report of a new record. *Mosq. Syst.* 16:168-171.
- Moore, C. G., D. B. Francy, D. A. Eliason and T. P. Monath. 1988. *Aedes albopictus* in the United States: Rapid spread of a potential disease vector. *J. Am. Mosq. Control Assoc.* 4:356-361.
- Narang, S. K., P. E. Kaiser and J. A. Seawright. 1989a. Dichotomous electrophoretic key for the identification of sibling species A, B and C of the *Anopheles quadrimaculatus* Say complex (Diptera: Culicidae). *J. Med. Entomol.* 26: 94-99.
- Narang, S. K., P. E. Kaiser and J. A. Seawright. 1989b. Identification of species D, a new member of the *Anopheles quadrimaculatus* complex: a biochemical key. *J. Am. Mosq. Control Assoc.* 5:317-324.
- Narang, S. K. and J. A. Seawright. 1988. Electrophoretic method for recognition of sibling species of anopheline mosquitoes. A practical approach. *Fla. Entomol.* 71:303-311.
- Nasci, R. S., D. B. Taylor and L. E. Munstermann. 1983. First record of the mosquitoes *Aedes dupreei*, *Psorophora horrida* and *Psorophora mathesoni* (Diptera: Culicidae) in St. Joseph County, Indiana. *Great Lakes Entomol.* 16:33.
- Nawrocki, S. J. and G. B. Craig, Jr. 1989. Further extension of the range of the rock pool mosquito, *Aedes atropalpus* via tire breeding. *J. Am. Mosq. Control Assoc.* 5:110-114.
- Nawrocki, S. J. and W. A. Hawley. 1987. Estimation of the northern limits of distribution of *Aedes albopictus* in North America. *J. Am. Mosq. Control Assoc.* 3:314-317.
- Nielsen, E. T. and H. T. Nielsen. 1966. Observations on mosquitoes in Greenland. *Medd. Gronland* 170:5-9.
- O'Meara, C. F., V. L. Larson, D. H. Mook and M. D. Latham. 1989. *Aedes bahamensis*: its invasion of south Florida and association with *Aedes aegypti*. *J. Am. Mosq. Control Assoc.* 5:1-5.
- Pafume, B. A., E. G. Campos, D. B. Francy, E. L. Peyton, A. N. Davis and M. Nelms. 1988. Discovery of *Aedes (Howardina) bahamensis* in the United

- States. J. Am. Mosq. Control Assoc. 4:380.
- Pappas, L. C. and C. D. Pappas. 1983. Mosquito species in a small community along the Missouri River in southeastern Nebraska. Mosq. News 43:432-434.
- Peacock, B. E., J. P. Smith, P. C. Gregory, T. M. Loyless, J. A. Mulrennan, Jr., P. R. Simmonds, L. Padgett, Jr., E. K. Cook and T. R. Eddins. 1988. *Aedes albopictus* in Florida. J. Am. Mosq. Control Assoc. 4:362-365.
- Pratt, H. D. 1952. Notes on *Anopheles earlei* and other American species of the *Anopheles maculipennis* complex. Am. J. Trop. Med. Hyg. 1:484-493.
- Quickenden, K. J. and V. C. Jamison. 1979. Montana Mosquitoes Part I: Identification and biology. Montana Dept. Hlth. Vector Control Bull. No. 1 (Rev.). 35 pp.
- Reiter, P. 1986. A standardized procedure of the quantitative surveillance of certain *Culex* mosquitoes by egg raft collection. J. Am. Mosq. Control Assoc. 2:219-221.
- Reiter, P. and R. F. Darsie, Jr. 1984. *Aedes albopictus* in Memphis, Tennessee (USA): an achievement of modern transportation? Mosq. News 44:396-399.
- Rightor, J. A., B. R. Farmer and J. L. Clarke Jr. 1987. *Aedes albopictus* in Chicago, Illinois. J. Am. Mosq. Control Assoc. 3:657.
- Schoelfield, P. J. and J. McIntosh. 1984. A further addition to the mosquitoes of Alberta. Mosq. News. 44:423-424.
- Schoelfield, P. J., C. Pritchard and M. A. Enfield. 1981. The distribution of mosquito (Diptera: Culicidae) larvae in southern Alberta, 1976-1978. Quaestiones Entomol. 17:147-167.
- Sirivanakarn, S. and J. N. Belkin. 1980. The identity of *Culex (Melanoconion) taeniopus* Dyar and Knab and related species with notes on the synonymy and description of a new species (Diptera: Culicidae). Mosq. Syst. 12:7-24.
- Sprenger, D. and T. Wuithiranyagool. 1986. The discovery of *Aedes albopictus* in Harris County, Texas. J. Am. Mosq. Control Assoc. 2:217-219.
- Steffan, W. A., N. L. Evenhuis and D. L. Manning. 1980. Annotated bibliography of *Toxorhynchites* (Diptera: Culicidae) J. Med. Entomol. Suppl. 3, 140 pp.
- Stone, A. and J. A. Hair. 1968. A new *Culex (Melanoconion)* from Florida (Diptera: Culicidae). Mosq. News 28:39-41.
- Strickman, D. 1988a. Redescription of the holotype of *Culex (Culex) peus* Speiser and taxonomy of *Culex (Culex) stigmatosoma* Dyar and *thriambus* Dyar (Diptera: Culicidae). Proc. Entomol. Soc. Wash. 90:484-494.
- Strickman, D. 1988b. *Culex stigmatosoma* and *Cx. peus*: identification of female adults in the United States. J. Am. Mosq. Control Assoc. 4:555-556.
- Sweeney, K. J., M. A. Cantwell and J. Dorothy. 1988. The collection of *Aedes aegypti* and *Ae. albopictus* from Baltimore, Maryland. J. Am. Mosq. Control Assoc. 4:381-382.
- Taylor, D. B. 1983. New distribution records for mosquitoes (Diptera: Culicidae) in St. Joseph County, Indiana. Proc. Indiana Acad. Sci. 90:274-280.
- Ward, R. A. and R. F. Darsie, Jr. 1982. Corrections and additions to the publication Identification and Geographical Distribution of the Mosquitoes of North America, North of Mexico. Mosq. Syst. 16:209-219.
- Walker, E. D. 1983. Occurrence of *Anopheles barberi* in Massachusetts. Mosq. News 43:73.
- Weaver, S. C., W. F. Scherer, C. A. Taylor, D. A. Castello and E. W. Cupp. 1986. Laboratory vector competence of *Culex (Melanoconion) cedecei* for sympatric and allopatric Venezuelan equine encephalomyelitis viruses. Am. J. Trop. Med. Hyg. 35:619-623.
- Welch, J. B. and J. D. Long. 1984. *Aedes aegypti* collections in rural southeast Texas. Mosq. News 44:544-547.
- White, D. J. and C. P. White. 1980. *Aedes atropalpus* breeding in artificial containers in Suffolk County, New York. Mosq. News 40:106-107.
- Williams, R. W. 1956. A new distribution record for *Culex salinarius* Coq.: The Bermuda Islands. Mosq. News 16:29-30.
- Wilmot, T. R., J. M. Henderson and D. W. Allen. 1987. Additional collection records for mosquitoes of Michigan. J. Am. Mosq. Control Assoc. 3:318.



Accession For	
NTIS	CRA&I <input checked="" type="checkbox"/>
DTIC	TAB <input type="checkbox"/>
Unannounced <input type="checkbox"/>	
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and / Special
A-1	20